

# CEOI '17 P5 - Palindromic Partitions

---

**Time limit:** 4.5s    **Memory limit:** 128M

---

A *partition* of a string  $s$  is a set of one or more non-overlapping non-empty substrings of  $s$  (call them  $a_1, a_2, \dots, a_d$ ), such that  $s$  is their concatenation:  $s = a_1 + a_2 + \dots + a_d$ . We call these substrings "chunks" and define the *length* of such a partition to be the number of chunks,  $d$ .

We can represent the partition of a string by writing each chunk in parentheses. For example, the string "decode" can be partitioned as  $(d)(ec)(ode)$  or  $(d)(e)(c)(od)(e)$  or  $(decod)(e)$  or  $(decode)$  or  $(de)(code)$  or a number of other ways.

A partition is *palindromic* if its chunks form a palindrome when we consider each chunk as an atomic unit. For example, the only palindromic partitions of "decode" are  $(de)(co)(de)$  and  $(decode)$ . This also illustrates that every word has a trivial palindromic partition of length one.

Your task is to compute the maximal possible number of chunks in palindromic partition.

## Input

---

The input starts with the number of test cases  $t$  in the first line. The following  $t$  lines describe individual test cases consisting of a single word  $s$ , containing only lowercase letters of the English alphabet. There are no spaces in the input.

## Output

---

For every test case, output a single number: the length of the longest palindromic partition of the input word  $s$ .

## Constraints

---

Let us denote the length of the input string  $s$  with  $n$ .

- $1 \leq t \leq 10$
- $1 \leq n \leq 10^6$

### Subtask 1 (15%)

- $n \leq 30$

### Subtask 2 (20%)

- $n \leq 300$

### Subtask 3 (25%)

- $n \leq 10\,000$

### Subtask 4 (40%)

- no additional constraints

## Sample Input 1

---

```
4
bonobo
deleted
racecar
racecars
```

## Sample Output 1

---

```
3
5
7
1
```