

COCI '14 Contest 3 #5 Stogovi

Time limit: 0.6s **Memory limit:** 64M

Mirko is playing with stacks. In the beginning of the game, he has an empty stack denoted with number 0. In the i^{th} step of the game he will choose an existing stack denoted with v , copy it and do one of the following actions:

- a. place number i on top of the new stack
- b. remove the number from the top of the new stack
- c. choose another stack denoted with w and count how many different numbers exist that are in the new stack and in the stack denoted with w

The newly created stack is denoted with i .

Mirko doesn't like to work with stacks so he wants you to write a programme that will do it for him. For each operation of type b output the number removed from stack and for each operation of type c count the required numbers and output how many of them there are.

Input

The first line of input contains the integer N ($1 \leq N \leq 300\,000$), the number of steps in Mirko's game.

The steps of the game are chronologically denoted with the first N integers.

The i^{th} of the following N lines contains the description of the i^{th} step of the game in one of the following three forms:

- `a v` for operation of type a .
- `b v` for operation of type b .
- `c v w` for operation of type c .

The first character in the line denotes the type of operation and the following one or two denote the accompanying stack labels that will always be integers from the interval $[0, i - 1]$.

For each operation of type b , the stack we're removing the element from will not be empty.

Output

For each operation type b or c output the required number, each in their own line, in the order the operations were given in the input.

Sample Input 1

```
5
a 0
a 1
b 2
c 2 3
b 4
```

Sample Output 1

```
2
1
2
```

Explanation for Sample Output 1

In the beginning, we have the stack $S_0 = \{\}$. In the first step, we copy S_0 and place number 1 on top, so $S_1 = \{1\}$. In the second step, we copy S_1 and place 2 on top of it, $S_2 = \{1, 2\}$. In the third step we copy S_2 and remove number 2 from it, $S_3 = \{1\}$. In the fourth step we copy S_2 and denote the copy with S_4 , then count the numbers appearing in the newly created stack S_4 and stack S_3 , the only such number is number 1 so the solution is 1. In the fifth step we copy S_4 and remove number 2 from it, $S_5 = \{1\}$.

Sample Input 2

```
11
a 0
a 1
a 2
a 3
a 2
c 4 5
a 5
a 6
c 8 7
b 8
b 8
```

Sample Output 2

2

2

8

8