## COCI '15 Contest 7 #6 Prokletnik

**Time limit:** 4.0s **Memory limit:** 128M

Young Luka is about to enter a house with the evil witch Marica inside. As soon as he enters the house, she asks him questions about her array of N numbers. Luka fearfully asks for a clarification of the questions. Marica explains to him that each query consists of two integers L and R which represent the positions of a contiguous sub-array in her array.

It is Luka's task to answer for each query what the longest **contiguous** sub-array of that contiguous sub-array (it can be the entire sub-array) having the property of being magical. An array is called magical if all the values are between the values of the first and last number in that array. For example,  $\begin{bmatrix} 1 & 3 & 1 & 2 & 4 \end{bmatrix}$  is magical, the same as  $\begin{bmatrix} 4 & 1 & 1 & 2 & 1 \end{bmatrix}$ , whereas  $\begin{bmatrix} 3 & 3 & 4 & 1 \end{bmatrix}$  is not magical.

#### Input

The first line of input contains the integer N ( $1 \le N \le 500\,000$ ), the number of numbers in the array.

The second line contains N integers  $a_i$  ( $1 \le a_i \le 10^9$ ).

The third line contains the integer Q ( $1 \le Q \le 500\,000$ ), the number of queries.

Each of the following Q lines contains two integers, L and R ( $1 \le L \le R \le N$ ), representing the sub-array from the query.

### **Output**

The  $i^{th}$  line of output must contain a single integer – the answer to the  $i^{th}$  query.

#### **Scoring**

In test cases worth 50% of total points, it will hold  $N,Q \leq 30\,000$ .

#### Sample Input 1

```
5
5 4 3 3 2
3
1 2
1 1
2 4
```

### **Sample Output 1**

```
2
1
3
```

# Sample Input 2

```
6
6 6 5 1 6 2
3
4 5
4 6
1 4
```

## **Sample Output 2**

```
2
2
4
```