

# COCI '16 Contest 6 #2 Telefoni

---

**Time limit:** 1.0s    **Memory limit:** 64M

---

There are  $N$  desks in a room, placed from left to right, one next to each other. Some desks have phones on them, whereas some desks are empty. All phones are broken, so the phone on the  $i^{\text{th}}$  desk will ring if the phone at  $j^{\text{th}}$  desk rings, which is at most  $D$  desks away from the  $i^{\text{th}}$  desk. In other words, it holds  $|j - i| \leq D$ . The first and the last desk will always have a phone on them. In the beginning the leftmost phone rings. What is the minimal amount of new phones to be placed on the desks so that the last phone rings?

## Input Specification

---

The first line of input contains two positive integers,  $N$  ( $1 \leq N \leq 300\,000$ ) and  $D$  ( $1 \leq D \leq N$ ).

The following line contains  $N$  numbers 0 or 1. If the  $i^{\text{th}}$  number is 1, then the  $i^{\text{th}}$  desk from the left has a phone on it, otherwise the  $i^{\text{th}}$  desk is empty.

## Output Specification

---

The first and only line of output must contain the required minimal number of phones.

## Scoring

---

In test cases worth 40 points in total, it will hold  $1 \leq N \leq 20$ .

## Sample Input 1

---

```
4 1
1 0 1 1
```

## Sample Output 1

---

```
1
```

## Sample Input 2

---

```
5 2
1 0 0 0 1
```

## Sample Output 2

---

1

## Sample Input 3

---

8 2  
1 1 0 0 1 0 0 1

## Sample Output 3

---

2