# COCI '16 Contest 7 #1 Baza

**Time limit:** 1.0s **Memory limit:** 64M

Mirko got a summer internship in a big IT company. This company builds a large database consisting of N rows and M columns.

On his first day, Mirko received a total of Q queries. Each query consists of M numbers. However, some numbers got lost during transition, so they are denoted with -1. Mirko wants to know how many rows of the database correspond to the query, i.e., how many rows of the database have identical numbers as the query, excluding -1.

For example, if the query is in the form of -1 3 2, then we need to count the rows of the database that have any number in the first column, have the number 3 in the second column, and have the number 2 in the third column.

Since he just started with his internship, Mirko needs your help. Help him and answer the queries!

#### **Input Specification**

The first line of input contains N ( $1 \le N \le 10^3$ ) and M ( $1 \le M \le 10^3$ ), the size of the database.

Each of the following N lines contains M numbers  $A_{ij}$   $(1 \le A_{ij} \le 10^6)$ , the content of the database.

The following line contains Q ( $1 \le Q \le 50$ ), the number of queries.

Each of the following Q lines contains M numbers  $B_{ij}$   $(B_{ij}=-1 \text{ or } 1\leq B_{ij}\leq 10^6)$ , the description of the  $i^{ ext{th}}$  query.

### **Output Specification**

The output must contain Q lines, each line containing X, the answer to the  $i^{
m th}$  query from the task.

# Sample Input 1

```
4 3

1 5 2

2 3 4

4 3 2

5 4 6

3

-1 -1 2

-1 3 2

-1 -1 -1
```

## **Sample Output 1**

```
2
1
4
```

### **Explanation of Sample Output 1**

The first query asks how many rows have the number 2 in the third column. These are rows number  $1 \ (1 \ 5 \ 2)$  and number  $3 \ (4 \ 3 \ 2)$ .

The second query asks how many rows have the numbers 3 and 2 in the second and third column. This is only row number 3 (4 3 2).

The third query asks how many rows are there in total, and the answer is obviously 4.

### Sample Input 2

```
3 8
6 5 97 99 82 50 95 1
85 62 11 64 94 84 88 19
43 99 11 64 94 84 31 19
3
-1 -1 11 64 94 84 -1 19
-1 -1 -1 99 -1 -1 -1 1
95 -1 -1 -1 80 -1 -1
```

# **Sample Output 2**

```
2
1
0
```