

# COI '06 #2 Policija

---

**Time limit:** 1.4s    **Memory limit:** 64M

---

To help capture criminals on the run, the police are introducing a new computer system. The area covered by the police contains  $N$  cities and  $E$  bidirectional roads connecting them. The cities are labelled 1 to  $N$ .

The police often want to catch criminals trying to get from one city to another. Inspectors, looking at a map, try to determine where to set up barricades and roadblocks. The new computer system should answer the following two types of queries:

1. Consider two cities  $A$  and  $B$ , and a road connecting cities  $G_1$  and  $G_2$ . Can the criminals **get from city  $A$  to city  $B$  if that one road is blocked** and the criminals can't use it?
2. Consider three cities  $A$ ,  $B$  and  $C$ . Can the criminals **get from city  $A$  to city  $B$  if the entire city  $C$  is cut off** and the criminals can't enter that city?

Write a program that implements the described system.

## Input Specification

---

The first line contains two integers  $N$  and  $E$  ( $2 \leq N \leq 100\,000$ ,  $1 \leq E \leq 500\,000$ ), the number of cities and roads.

Each of the following  $E$  lines contains two distinct integers between 1 and  $N$  – the labels of two cities connected by a road. There will be at most one road between any pair of cities.

The following line contains the integer  $Q$  ( $1 \leq Q \leq 300\,000$ ), the number of queries the system is being tested on.

Each of the following  $Q$  lines contains either four or five integers. The first of these integers is the type of the query –  1 or  2.

If the query is of type 1, then the same line contains four more integers  $A$ ,  $B$ ,  $G_1$  and  $G_2$  as described earlier.  $A$  and  $B$  will be different.  $G_1$  and  $G_2$  will represent an existing road.

If the query is of type 2, then the same line contains three more integers  $A$ ,  $B$  and  $C$ .  $A$ ,  $B$  and  $C$  will be distinct integers.

The test data will be such that it is initially possible to get from each city to every other city.

## Output Specification

---

Output the answers to all  $Q$  queries, one per line. The answer to a query can be  yes or  no.

**Note:** if your program correctly answers all questions of one type but not the other, it will receive 50% of the score for that case. Even then your program needs to answer all  $Q$  queries (the other queries can be answered arbitrarily).

## Sample Input

---

13 15

1 2

2 3

3 5

2 4

4 6

2 6

1 4

1 7

7 8

7 9

7 10

8 11

8 12

9 12

12 13

5

1 5 13 1 2

1 6 2 1 4

1 13 6 7 8

2 13 6 7

2 13 6 8

## Sample Output

---

yes

yes

yes

no

yes