

COI '09 #2 Kolo


Time limit: 0.6s **Memory limit:** 32M

During meetings of young mathematicians a frequent pastime is the Prime Number Circle. For this task, we refer to mathematicians in the circle with numbers 1 to N .


Before the game starts we first draw $N - 1$ circles and one square on the pavement arranged in a big circle. The player numbered 1 stands in the square. All other players stand in the circles, starting with the player 2 in a counterclockwise fashion facing towards the middle of the big circle.

The game consists of K rounds. In the i -th round the person standing in the square jumps up, says "It's me!" and then swaps places with the person standing on his right side p_k times, where p_k is the k -th prime. For example for $N = 5$ and $K = 3$ the following three rounds occur:


1. round:



2. round:



3. round:



Write a program that will for given N , K and A determine the neighbours of the player numbered A at the end of the game.

Input Specification

The first and only line contains three integers N , K and A . ($1 \leq A \leq N$), the number of players, rounds and the selected player.

Scoring

Test data is divided into four groups each worth 25 points, with the following constraints:

First group: ($3 \leq N \leq 1\,000$, $1 \leq K \leq 1\,000$).

Second group: ($3 \leq N \leq 1\,000$, $1 \leq K \leq 50\,000$).

Third group: ($3 \leq N \leq 50\,000$, $1 \leq K \leq 50\,000$).

Fourth group: ($3 \leq N \leq 5\,000\,000$, $1 \leq K \leq 500\,000$).

Output Specification

The first and only line of output should contain two integers, the numbers on the right and left neighbours of the player numbered A at the end of the game.

Sample Input 1

```
5 3 1
```

Sample Output 1

```
3 5
```

Sample Input 2

```
5 3 2
```

Sample Output 2

```
5 4
```

Sample Input 3

```
5 4 5
```

Sample Output 3
