#### Time limit: 0.6s Memory limit: 1G

You're given a sequence of N integers. Let f(L) be the product of all integers in sequence L. Over all subsequences s of length K of the original sequence, compute the maximum possible value of f(s).

Unlike other problems on DMOJ, the data for this problem will be user-contributed, leveraging DMOJ's ability to look at solutions that have AC on them. If you have a test case to contribute, please DM it to xiaowuc1 along with the ID of another user's submission that fails the provided test case, and your submission that passes on the given test case. Credit for test data will be given in the problem statement.

Users who copy other persons' submissions will be banned from submitting to this problem.

#### Number of test cases present: 13

- 1. Sample.
- 2. Sample.
- 3. Provided by ksun48.
- 4. Provided by **wleung\_bvg**.
- 5. Provided by **Rimuru**.
- 6. Provided by **Rimuru**.
- 7. Provided by **Rimuru**.
- 8. Provided by **Beautiful\_Times**.
- 9. Provided by **d**.
- 10. Provided by **d**.
- 11. Provided by **xiaowuc1**.
- 12. Provided by **d**.
- 13. Provided by **d**.

### Constraints

- $1 \leq K \leq N \leq 10^5$
- $|a_i| \leq 10^9$

## **Input Specification**

The first line contains two space-separated positive integers, N and K.

The next line contains N space-separated integers, the sequence of integers  $a_i$ .

### **Output Specification**

Output the maximum possible product.

1 1 1

# Sample Output 1

1

# Sample Input 2

1 1 0

# Sample Output 2

0