

ICPC NEERC 2014 K - Knockout Racing

Time limit: 3.0s **Memory limit:** 1G

The races became more popular than ever at Pandora planet. But these races are quite unusual. There are n cars participating in a race on the long straight track. Each car moves with a speed of 1 meter per second. Track has coordinates in meters.

The car number i moves between two points on the track with coordinates a_i and b_i starting at the second 0 in the point a_i . The car moves from a_i to b_i , then from b_i to a_i , then from a_i to b_i again, and so on.

Handsome Mike wants to knock some cars out of the race using dynamite. Thus he has m questions. The question number j is: what is the number of cars in the coordinates between x_j and y_j inclusive after t_j seconds from the start?

Your task is to answer Mike's questions.

Input Specification

The first line of the input file contains two integers n and m ($1 \leq n, m \leq 1000$) — the number of cars in the race and the number of questions.

Each of the following n lines contains a description of the car: two integers a_i and b_i ($0 \leq a_i, b_i \leq 10^9, a_i \neq b_i$) — the coordinates of the two points between which the car i moves.

Each of the following m lines contains a description of the question: three integers x_j, y_j , and t_j ($0 \leq x_j \leq y_j \leq 10^9, 0 \leq t_j \leq 10^9$) — the coordinate range and the time for the question j .

Output Specification

Write m lines to the output file. Each line must contain one integer — the answer to the corresponding question in the order they are given in the input file.

Sample Input

```
5 5
0 1
0 2
2 3
3 5
4 5
0 5 0
0 1 2
0 2 1
2 5 2
2 5 3
```

Sample Output

```
5
1
2
4
3
```