#### **Time limit:** 4.0s **Memory limit:** 512M

Given a circular sequence A with n integers, denoted as  $a_1, a_2, \ldots, a_n$  in clockwise order. Bob is going to perform q operations. Each operation will give an interval [L, R] and an integer x. Bob will modify the sequence as follows.

```
for (int i = L; i <= R; i++) {
   if (a[i] > x) swap(a[i], x);
}
```

Since the sequence is circular, the given R may be less than L. Bob will perform the above operation from L to R in clockwise order. After each operation, Bob wants to know the value of x. Can you write a program to help him?

#### **Input Specification**

The first line of input contains two integers n and q ( $1 \le n \le 400\,000$ ,  $1 \le q \le 25\,000$ ), indicating the length of the sequence and the number of operations.

Each of the following n lines contains one integer  $a_i$  ( $1 \le a_i \le 10^9$ ), the i-th element in the sequence.

Each of the following q lines contains three integers L, R, and x ( $1 \le L, R \le n$ ,  $1 \le x \le 10^9$ ), indicating an operation.

#### **Output Specification**

Output q lines. Each line contains one integer, the final value of x after the operation.

#### **Constraints**

Subtask	Points	Additional constraints
1	15	$n \leq 2000$ , $q \leq 2000$ .
2	15	L= 1, $R=N$ .
2	70	No additional constraints.

### Sample Input 1

```
6 7
8
6
7
4
5
9
2 4 5
4 1 4
6 2 7
1 5 2
3 4 8
4 3 1
3 1 3
```

## **Sample Output 1**

```
7
9
8
7
8
6
5
```

# **Explanation**

- The initial sequence is like [8, 6, 7, 4, 5, 9].
- After the 1st operation, it's like  $\left[8,5,6,4,5,9\right]$  and x=7.
- • After the 2nd operation, it's like  $\left[8,5,6,4,4,5\right]$  and x=9.
- $\bullet \ \ \mbox{ After the 3rd operation, it's like } [7,5,6,4,4,5] \mbox{ and } x=8.$

## Sample Input 2

```
4 2
5
2
4
7
1 4 3
1 4 1
```

# Sample Output 2

7 5