

ICPC NAQ 2016 J - Quick Estimates

Time limit: 1.0s **Memory limit:** 1G

ICPC North America Qualifier 2016, Problem J

Let's face it... you are not that handy. When you need to make a major home repair, you often need to hire someone to help. When they come for the first visit, they make an estimate of the cost. Here they must be careful: if they overestimate the cost, it might scare you off, but if they underestimate, the work might not be worth their time.

Because the worker is so careful, it can take a long time for them to produce the estimate. But that's frustrating — when you ask for an estimate, you really are asking for the magnitude of the cost. Will this be \$10 or \$100 or \$1000? That's all you really want to know on a first visit.

Please help the worker make the type of estimate you desire. Write a program that, given the worker's estimate, reports just the magnitude of the cost — the number of digits needed to represent the estimate.

Input Specification

Input begins with a line containing an integer N ($1 \leq N \leq 100$). The next N lines each contain one estimated cost, which is an integer between 0 and 10^{100} . (Some of the workers overcharge quite a bit.)

Output Specification

For each estimated cost, output the number of digits required to represent it.

Sample Input 1

```
5
314
1
5926
5
35897
```

Sample Output 1

```
3
1
4
1
5
```

Sample Input 2

```
3
0
10
100
```

Sample Output 2

```
1
2
3
```